

# Sunapee Sr. High School

## YRBS Summary Report

Greater Sullivan Public Health Region

### How to Read the Tables in this Report

Data in this example are only an example and not from Sunapee Sr. High School.

Percent of students in school, region, and state with risk in 2015

2015 school percentages compared to prior year (2013, the region, and the State)

Number of students in school with risk in 2015

Category	pg#	Risk - Students who:	# of Stdnts	2015 Percentages for			2015 School compared to		
				School	Rgn	NH	2013	Rgn	NH
	3	Ever used methamphetamines	31	2.4	2.6	2.5	0.6x	0.9x	1.0x
	4	Ever used heroin	27	2.1	2.5	2.4	0.7x	0.9x	0.9x
	5	Ever used ecstasy	60	4.6	5.0	4.5	0.6x	0.9x	1.0x
	6	Tried marijuana before age 13 years	87	6.8	5.9	6.1	0.9x	1.2x	1.1x
	7	Ever used cocaine	65	5.1	4.4	4.9	0.9x	1.2x	1.0x
Drug Use -	8	Ever came to school high on marijuana	236	18.2	15.8	15.3	1.2x	1.2x	1.2x
Behaviors	9	Ever used synthetic marijuana	128	9.9	9.8	9.2	1.0x	1.1x	1.1x
	10	Currently use Rx drugs without a doctor's Rx	105	8.0	7.7	6.8	0.8x	1.0x	1.2x

An estimated 87 students at the school tried marijuana, which is 6.8% of all students whereas 5.9% and 6.1% in the region and state respectively tried marijuana before age 13. Anecdotally, in 2015, the school was 0.9x lower than in 2013, was 1.2x higher than the Region, and 1.1x higher than the State. Detailed data can be found on page 6 of the Appendix.

## State and Regional Estimates

State and Regional estimates are calculated from a random sample developed using scientific survey methods. These methods ensure the respondents are representative of students in the region in the State. These estimates account for student, classroom, school, and regional factors. The random sample is not designed to provide school level estimates.

## School Level Estimates

The survey response rate at Sunapee Sr. High School was 89% where 117 of 131 students took the survey. **School level estimates are not based on a scientifically designed survey method.** However, because participation was relatively high the school estimates may still be representative of the entire school population. Results could be less representative if specific classrooms or classroom types were not included in the survey. We have attempted to estimate how many students in the school actually fall within each risk category. We did this by scaling up the students responding in the survey using school enrollment data.

# Summary: Comparisons to Past, Region, & NH

## Drug Related

Category	Apndx pg#	Risk - Students who:	# of Stdnts	2015 Percentages for			2015 School compared to		
				School	Rgn	NH	2013	Rgn	NH
Drug Use - Behaviors	3	Currently use Rx drugs without a doctor's Rx	s	s	6.6	6.8	↓0.3x	↓0.3x	
	4	Tried marijuana before age 13 years	5	4.3	7.2	6.1	↓0.6x	↓0.7x	
	5	Ever used synthetic marijuana	13	10.3	12.0	9.2	↓0.9x	↑1.1x	
	6	Ever used ecstasy	s	s	5.0	4.5	↓0.3x	↓0.4x	
	7	Ever used heroin	s	s	3.0	2.4	↓0.6x	↓0.7x	
	8	Ever took Rx drugs without a doctor's Rx	12	9.4	12.6	13.4	↓0.7x	↓0.7x	
	9	Ever used inhalants	12	9.4	7.7	6.4	↑1.2x	↑1.5x	
	10	Ever used methamphetamines	s	s	3.3	2.5	↓0.8x	↑1.0x	
	11	Ever came to school high on marijuana	26	20.5	17.8	15.3	↑1.2x	↑1.3x	
	12	Ever used cocaine	4	3.4	6.3	4.9	↓0.5x	↓0.7x	
	13	Were offered, sold, or given drugs on school property	24	18.8	15.1	16.5	↑1.2x	↑1.1x	
	14	Currently use marijuana	40	30.8	24.9	22.2	↑1.2x	↑1.4x	
	Drug Use Perceptions and Understanding	15	Don't perceive of parental wrongness of taking Rx drug without a doctor's Rx	5	4.3	7.2	5.1	↓0.6x	↓0.8x
		16	Don't perceive of moderate/great risk from taking Rx drug without a doctor's Rx	12	9.4	13.9	13.1	↓0.7x	↓0.7x
17		Perceive easy or very easy access to Rx drugs without a Rx	25	19.8	28.3	29.9	↓0.7x	↓0.7x	
18		Don't perceive of peer wrongness of taking Rx drug without a doctor's Rx	15	12.0	21.3	18.6	↓0.6x	↓0.6x	
19		Didn't talk about dangers of substance misuse with parents	59	45.3	54.5	50.0	↓0.8x	↓0.9x	
20		Don't perceive of parental wrongness of marijuana use	27	21.6	23.4	17.0	↓0.9x	↑1.3x	
21		Didn't see prevention messaging for alcohol or other drugs	24	18.8	26.0	20.4	↓0.7x	↓0.9x	
22		Don't perceive of moderate/great risk from marijuana use	105	80.3	61.7	60.3	↑1.3x	↑1.3x	
23	Don't perceive of peer wrongness of marijuana use	96	73.5	62.3	57.1	↑1.2x	↑1.3x		
24	Perceive easy or very easy access to marijuana	90	69.8	65.1	63.3	↑1.1x	↑1.1x		

↑↓ Color coding of cells and arrows do not indicate statistical significance.

School is x times lower School is 1-1.4 times higher School is 1.4 to 2.0 times higher School is 2 or more times higher

Empty Cells - data are unavailable because the question wasn't asked in the prior year or responses are suppressed

# Summary: Comparisons to Past, Region, & NH

## Sex, Helplessness, and Injury

Category	Apndx pg#	Risk - Students who:	# of Stdnts	2015 Percentages for			2015 School compared to		
				School	Rgn	NH	2013	Rgn	NH
Sexual Risk Behaviors	37	Drank alcohol or used drugs before last sexual intercourse	7	16.7	19.9	18.9	↔0.8x	↔0.9x	
	38	Didn't use a condom during last sexual intercourse	15	33.3	46.9	39.8	↔0.7x	↔0.8x	
	39	Are currently sexually active	47	36.8	35.3	31.3	↑1.0x	↑1.2x	
	40	Had sexual intercourse before age 13 years	s	s	3.4	2.8	↔0.5x	↔0.6x	
	41	Experienced unwanted sex because of another student's drinking	10	7.7	6.2	5.5	↑1.2x	↑1.4x	
	42	Ever had sexual intercourse	57	44.7	45.5	39.4	↔1.0x	↑1.1x	
	43	Didn't use birth control pills during last sexual intercourse	20	46.2	70.0	67.3	↔0.7x	↔0.7x	
Suicide, Sadness, and Helplessness	44	Attempted suicide that resulted in injury that had to be treated by a doctor or nurse	s	s	3.1	2.5	↔0.3x	↔0.4x	
	45	Purposely hurt themselves without wanting to die	20	15.4	19.7	18.5	↔0.8x	↔0.8x	
	46	Seriously considered attempting suicide	12	9.4	16.6	15.3	↔0.6x	↔0.6x	
	47	Wouldn't talk to parent about negative emotions	80	72.7	81.0	79.5	↔0.9x	↔0.9x	
	48	Felt sad or hopeless for at least 2 weeks straight	27	21.4	31.1	27.2	↔0.7x	↔0.8x	
Unintentional Injury and Violence-Related Behaviors	49	Attempted suicide	4	3.6	8.3	6.8	↔0.4x	↔0.5x	
	62	Never or rarely wore a seat belt when driving a car	4	4.1	10.3	7.7	↔0.4x	↔0.5x	
	63	Did not go to school because they felt unsafe		NA	7.7	5.4	↔0.0x	↔0.0x	
	64	Never or rarely wore a seat belt when riding in a car	7	6.0	10.0	8.2	↔0.6x	↔0.7x	
	65	Were ever physically forced to have sexual intercourse	s	s	7.1	6.3	↔0.1x	↔0.1x	
	66	Were injured in physical fight	6	5.1	7.3	4.2	↔0.7x	↑1.2x	
	67	Were bullied on school property	29	22.2	29.7	22.1	↔0.7x	↑1.0x	
	68	Never or rarely wore a bicycle helmet	49	55.0	65.7	56.3	↔0.8x	↔1.0x	
	69	Experienced sexual dating violence	13	14.0	13.7	11.7	↑1.0x	↑1.2x	
	70	Were electronically bullied	25	19.7	21.9	18.6	↔0.9x	↑1.1x	
71	Experienced physical dating violence	6	7.0	10.6	7.8	↔0.7x	↔0.9x		
72	Were in physical fight at school	10	7.7	8.3	6.4	↔0.9x	↑1.2x		
73	Texted or e-mailed while driving	49	49.4	39.2	43.7	↑1.3x	↑1.1x		

↕↔ Color coding of cells and arrows do not indicate statistical significance.

School is x times lower School is 1-1.4 times higher School is 1.4 to 2.0 times higher School is 2 or more times higher

Empty Cells - data are unavailable because the question wasn't asked in the prior year or responses are suppressed

# Summary: Comparisons to Past, Region, & NH

## Alcohol

Category	Apndx pg#	Risk - Students who:	# of Stdnts	2015 Percentages for			2015 School compared to		
				School	Rgn	NH	2013	Rgn	NH
Alcohol Use - Behaviors	25	Drank alcohol before age 13 years	12	9.4	14.7	10.8	↓0.6x	↓0.9x	
	26	Had five or more drinks of alcohol in a row	31	23.9	17.6	16.8	↑1.4x	↑1.4x	
	27	Currently drink alcohol	57	44.3	33.6	29.9	↑1.3x	↑1.5x	
	28	Drove when drinking alcohol	7	7.9	6.6	6.3	↑1.2x	↑1.2x	
	29	Rode with a driver who had been drinking alcohol	29	22.2	16.8	15.8	↑1.3x	↑1.4x	
	30	Usually obtain the alcohol they drank by someone giving it to them	29	51.0	46.2	42.3	↑1.1x	↑1.2x	
Alcohol Use - Perceptions	31	Don't perceive of moderate/great risk from binge drinking	30	23.1	24.5	24.0	↓0.9x	↓1.0x	
	32	Don't perceive of parental wrongness of alcohol use	16	12.9	16.7	10.7	↓0.8x	↑1.2x	
	33	Don't perceive of peer wrongness of alcohol use	71	54.7	51.1	42.9	↑1.1x	↑1.3x	
	34	Don't perceive of moderate/great risk from alcohol use	57	43.6	37.5	33.5	↑1.2x	↑1.3x	
	35	Don't disapprove of frequent alcohol use	6	5.2	10.5	8.1	↓0.5x	↓0.6x	
	36	Perceive easy or very easy access to alcohol	88	68.1	64.9	68.3	↑1.0x	↓1.0x	

↑↓ Color coding of cells and arrows do not indicate statistical significance.

School is x times lower School is 1-1.4 times higher School is 1.4 to 2.0 times higher School is 2 or more times higher

Empty Cells - data are unavailable because the question wasn't asked in the prior year or responses are suppressed

# Summary: Comparisons to Past, Region, & NH

## Tobacco

Category	Apndx pg#	Risk - Students who:	# of Stdnts	2015 Percentages for			2015 School compared to		
				School	Rgn	NH	2013	Rgn	NH
Tobacco Use - Behaviors	50	Currently use smokeless tobacco	10	7.7	8.9	6.0	↓0.9x	↑1.3x	
	51	Currently smoked cigarettes	4	3.5	12.4	9.3	↓0.3x	↓0.4x	
	52	Currently use cigars	16	12.8	14.4	11.0	↓0.9x	↑1.2x	
	53	Smoked and didn't try to quit smoking cigarettes	s	s	55.7	53.8	↓0.9x	↓0.9x	
	54	Smoke more than 10 cigarettes per day		NA	11.8	14.2	↓0.0x	↓0.0x	
	55	Usually obtain their own cigarettes by buying them in a store or gas station		NA	12.7	13.6	↓0.0x	↓0.0x	
	56	Smoked a whole cigarette before age 13 years	4	3.4	8.1	5.5	↓0.4x	↓0.6x	
Tobacco Use - Perceptions	57	Currently use electronic vapor products	36	28.2	23.9	25.0	↑1.2x	↑1.1x	
	58	Don't perceive of parental wrongness of tobacco use	13	10.3	13.9	9.7	↓0.7x	↑1.1x	
	59	Don't perceive of moderate/great risk from smoking cigarettes	17	13.7	12.1	10.2	↑1.1x	↑1.3x	
	60	Don't perceive peer wrongness of tobacco use	43	33.3	44.3	34.4	↓0.8x	↓1.0x	
	61	Perceive easy or very easy access to cigarettes	78	60.3	65.8	61.3	↓0.9x	↓1.0x	

↑↓ Color coding of cells and arrows do not indicate statistical significance.

School is x times lower School is 1-1.4 times higher School is 1.4 to 2.0 times higher School is 2 or more times higher

Empty Cells - data are unavailable because the question wasn't asked in the prior year or responses are suppressed

# Summary: Comparisons to Past, Region, & NH

## Physical Activity, Diet, and Other Behavioral Risks

Category	Apndx pg#	Risk - Students who:	# of Stdnts	2015 Percentages for			2015 School compared to		
				School	Rgn	NH	2013	Rgn	NH
Physical Inactivity and Unhealthy Dietary Behaviors	74	Had average grades of D or F	6	5.4	3.8	4.4	↑1.4x	↑1.2x	
	75	Went hungry often because of not enough food at home	s	s	2.5	2.5	↑1.0x	↑1.0x	
	76	Didn't play on 1+ sports teams during past school year	29	22.2	39.1	41.5	↓0.6x	↓0.5x	
	77	Played video or computer games or used a computer 3+ hours per day	47	35.9	41.9	38.9	↓0.9x	↓0.9x	
	78	Were trying to lose weight	58	44.4	43.3	44.1	↑1.0x	↑1.0x	
	79	Aren't using diet to control weight	80	61.5	62.2	61.7	↓1.0x	↓1.0x	
	80	Were't physically active >= 60 minutes per day past 7 days	41	31.6	51.2	53.1	↓0.6x	↓0.6x	
	81	Drank soda each of past 7 days	19	14.5	18.2	13.0	↓0.8x	↑1.1x	
Other Health Risks	82	Watched television 3+ hours per day	23	18.1	20.5	19.1	↓0.9x	↓0.9x	
	83	Had a family member in jail or in prison	15	12.0	10.9	9.3	↑1.1x	↑1.3x	
	84	Don't agree/strongly agree family members have clear rules/consequences for your behavior	30	23.1	25.9	23.8	↓0.9x	↓1.0x	
	85	Saw or heard domestic violence at home	11	8.5	16.2	14.8	↓0.5x	↓0.6x	
	86	Didn't have a dental visit	22	17.1	25.9	17.3	↓0.7x	↓1.0x	
	87	Didn't get 8 or more hours of sleep	95	73.3	71.4	71.6	↑1.0x	↑1.0x	
	88	Ever lived with someone with alcohol or drug problem	42	32.5	33.3	30.7	↓1.0x	↑1.1x	
	89	Didn't have a physical exam	21	16.2	28.2	20.7	↓0.6x	↓0.8x	
	90	Didn't participate in community activities during average school week	82	63.2	67.1	62.8	↓0.9x	↑1.0x	
	91	Haven't recently attended community services	70	53.8	59.3	57.4	↓0.9x	↓0.9x	
	92	Have a family member currently in the military	10	7.7	17.0	15.0	↓0.5x	↓0.5x	
93	Have ever been told by a doctor or nurse that they had asthma	34	26.5	20.8	22.3	↑1.3x	↑1.2x		
94	Used an indoor tanning device	12	9.4	9.4	6.1	↓1.0x	↑1.6x		

↑↓ Color coding of cells and arrows do not indicate statistical significance.

School is x times lower School is 1-1.4 times higher School is 1.4 to 2.0 times higher School is 2 or more times higher

Empty Cells - data are unavailable because the question wasn't asked in the prior year or responses are suppressed