

## USE OF AUTOMATED EXTERNAL DEFIBRILLATOR(S)

The Board authorizes the use of Automated External Defibrillators (AED) in emergency situations. The use, administration, and maintenance of the AED is subject to the following conditions:

- 1. Location of the AEDs:** The Superintendent, building principal and school nurse shall select and approve the locations for the AEDs.
- 2. Maintenance:** AEDs will be maintained by the school nurse, or his/her designee. Maintenance shall be done according to the AED manufacturer's specifications. The school nurse will maintain a record of all maintenance that has been performed on the AEDs.
- 3. Registration of AEDs:** In accordance with RSA 153-A:33, the school nurse or designee shall register the AEDs with the New Hampshire Department of Safety. Sample registration forms at [www.state.nh.us/safety/ems/aed\\_public\\_registry\\_packet.pdf](http://www.state.nh.us/safety/ems/aed_public_registry_packet.pdf).
- 4. Incident Reporting:** The school nurse or designee shall report all instances of AED use with the New Hampshire Department of Safety. See sample incident report forms in Appendix KFD-R or at [www.state.nh.us/safety/ems/aed\\_public\\_registry\\_packet.pdf](http://www.state.nh.us/safety/ems/aed_public_registry_packet.pdf).
- 5. Liability Limited:** The District and persons administering the AED(s), shall enjoy the limitations of liability as specified in RSA 153:A-31, as well as other sources of law.

### Legal References:

*RSA 153-A:28-33, Automated External Defibrillation  
State of NH, Bureau of Emergency Medical Services, 271-4568*

First Reading: May 7, 2014  
Second Reading & Approval June 4, 2014